



Produkte und Neuheiten 2004

TSA Schweiz c/o DJ Connection GmbH
Binzstrasse 2
CH - 8045 Zürich
Tel: 01/461 51 44, Fax: 01/461 51 66
www.tsa-audio.ch, info@tsa-audio.ch

* Los Productos de TSA están en evolución constante. Las especificaciones están sujetas a cambios sin previo aviso.
* TSA products are in constant evolution. All specifications are subject without previous notice.

P-SERIES

P-106



W.AES	100
Max.SPL	115dB
Response	60-20.000Hz
Coverage	90°x90°
Mounts	6" + tw
Ohms	8
Dim.(W x H x D)	21 x 34 x 26 cm
Weight	4kg.

P-5 NEW!



W.AES	60
Max.SPL	116dB
Response	80-18.000Hz
Coverage	90°x90°
Mounts	5" + tw
Ohms	8
Dim.(W x H x D)	20 x 26 x 16 cm
Weight	2,5kg.

P-8 NEW!



W.AES	120
Max.SPL	118dB
Response	50-18.000Hz
Coverage	90°x90°
Mounts	8" + tw
Ohms	8
Dim.(W x H x D)	27 x 42 x 26 cm
Weight	4kg.

P-12 NEW!



W.AES	300
Max.SPL	128dB
Response	55-18.000Hz
Coverage	90°x40°
Mounts	12" + dr.35mm.
Ohms	8
Dim.(W x H x D)	42 x 58 x 31 cm
Weight	16kg.

P-15 NEW!



W.AES	400
Max.SPL	129dB
Response	45-18.000Hz
Coverage	90°x40°
Mounts	15" + dr.35mm.
Ohms	8
Dim.(W x H x D)	52 x 74 x 38 cm
Weight	23kg.

RIGGING SYSTEMS P SERIES



SOP-1, wall support for P-5.



SOP-2, wall support for P-8.

M-SERIES

M-15 NEW!



W.AES	500
Max.SPL	133dB
Response	55-16.000Hz
Coverage	90°x40°
Mounts	15" + dr.75mm.
Ohms	8
Dim.(W x H x D)	43 x 76 x 41 cm
Weight	30kg.

M-15S NEW!



W.AES	1.000
Max.SPL	134dB
Response	48-16.000Hz
Coverage	90°x40°
Mounts	15" + dr.75mm.
Ohms	8
Dim.(W x H x D)	43 x 76 x 41 cm
Weight	34kg.

M-215 NEW!



W.AES	1.000
Max.SPL	134dB
Response	45-16.000Hz
Coverage	90°x40°
Mounts	2x15" + dr.75mm.
Ohms	4
Dim.(W x H x D)	54 x 115 x 54 cm
Weight	58kg.


M-215S NEW!



W.AES	2.000
Max.SPL	136dB
Response	40-20.000Hz
Coverage	60°x40°
Mounts	2x15" + dr.75mm.
Ohms	4
Dim.(W x H x D)	54 x 115 x 54 cm
Weight	65kg.

*Los Productos de TSA están en evolución constante. Las especificaciones están sujetas a cambios sin previo aviso.
*TSA products are in constant evolution. All specifications are subject without previous notice.

PX-SERIES




PX-2612S

W.AES	650
Max.SPL	132dB
Response	65-20.000Hz
Coverage	60°x40°
Mounts	12" + dr.75mm.
Ohms	8
Dim.(W x H x D)	37 x 60 x 43 cm
Weight	35kg.




PX-2612CS

W.AES	650
Max.SPL	132dB
Response	65-20.000Hz
Coverage	60°x40°
Mounts	12" + dr.75mm.
Ohms	8
Dim.(W x H x D)	37 x 60 x 30 cm
Weight	34kg.



PX-903

W.AES	900
Max.SPL	130dB
Response	32-20.000Hz
Coverage	90°x40°
Mounts	18"+10"+dr.55mm.
Ohms	8
Dim.(W x H x D)	54 x 104 x 54 cm
Weight	60kg.
Monoamplified	



PX-1703

W.AES	1.700
Max.SPL	135dB
Response	32-20.000Hz
Coverage	90°x40°
Mounts	18"+10"+dr.55mm.
Ohms	8
Dim.(W x H x D)	54 x 104 x 54 cm
Weight	63kg.
Biampified	

G-SERIES



G-15 NEW!

W.AES	400
Max.SPL	130dB
Response	40-200Hz
Coverage	---
Mounts	15"
Ohms	8
Dim.(W x H x D)	44 x 55 x 66 cm
Weight	33kg.
Optional:	4 wheel set



G-15S NEW!

W.AES	1.000
Max.SPL	133dB
Response	33-200Hz
Coverage	---
Mounts	15"
Ohms	8
Dim.(W x H x D)	44 x 55 x 66 cm
Weight	36kg.
Optional:	4 wheel set



G-18 NEW!

W.AES	600
Max.SPL	135dB
Response	32-200Hz
Coverage	---
Mounts	18"
Ohms	8
Dim.(W x H x D)	54 x 58 x 78 cm
Weight	41kg.
Optional:	4 wheel set



G-18S NEW!

W.AES	1.200
Max.SPL	138dB
Response	32-200Hz
Coverage	---
Mounts	18"
Ohms	8
Dim.(W x H x D)	54 x 58 x 78 cm
Weight	46kg.
Optional:	4 wheel set



TSG-218

W.AES	2.400
Max.SPL	141dB
Response	38-250Hz
Coverage	---
Mounts	2 x 18"
Ohms	4
Dim.(W x H x D)	54 x 115 x 78 cm
Weight	82kg.



TSG-121

W.AES	1.200
Max.SPL	135 dB
Response	20-100Hz
Coverage	---
Mounts	21"
Ohms	8
Dim.(W x H x D)	60 x108 x 75 cm
Weight	65kg.
Optional:	CH-TSG4 support with wheels

*Los Productos de TSA están en evolución constante. Las especificaciones están sujetas a cambios sin previo aviso.
*TSA products are in constant evolution. All specifications are subject without previous notice.

AX-SERIES




AX-96 NEW!

W.AES	175
Max.SPL	118dB
Response	65-20.000Hz
Coverage	90°x60°
Mounts	2 x 6" + 2 tw
Ohms	16
Dim.(W x H x D)	22 x 50 x 22 cm
Weight	8kg.
Optional rigging hardware:	HE-14 / HE-15 / HE-20




AX-126 NEW!

W.AES	500
Max.SPL	133dB
Response	125-20.000Hz
Coverage	120°x40°
Mounts	2 x 6" + tw
Ohms	16
Dim.(W x H x D)	22 x 50 x 22 cm
Weight	11kg.
Optional rigging hardware:	HE-14 / HE-15 / HE-20




AX-1205

W.AES	650
Max.SPL	128dB
Response	70-20.000Hz
Coverage	120°x6°
Mounts	8 x 5" + 2 x tw
Ohms	4
Dim.(W x H x D)	18 x 138 x 21 cm
Weight	30kg.




AX-1010

W.AES	1.800
Max.SPL	137dB
Response	50-20.000Hz
Coverage	100°x6°
Mounts	4x10" + 6dr.55mm
Ohms	2 / 8
Dim.(W x H x D)	55 x 117 x 21 cm
Weight	60kg.



AX-9015

W.AES	3.000
Max.SPL	144dB
Response	37-20.000Hz
Coverage	As per configuration
Mounts	2x15"+2x10"+2x2"
Ohms	8
Dim. (W x H x D)	115 x 44 x 66 cm.
Weight	100kg.




RIGGING SYSTEMS AX-9015

CH-SR2, support with wheels moves 3 units AX-9015


CH-SX2, rigging support to elevation max. 10 units AX-9015

TRC SYSTEMS




TRC

W.AES	600
Max.SPL	141dB
Response	175-18.000Hz
Coverage	40°x40°
Mounts	TX1
Ohms	8 / 16
Dim.(W x H x D)	56 x 56 x 72 cm
Weight	39kg.



TRC-215

W.AES	2.400
Max.SPL	144dB
Response	50-18.000Hz
Coverage	40°x40°
Mounts	2x15"+TX1
Ohms	4 / 8 / 16
Dim.(W x H x D)	60 x 108 x 85 cm
Weight	105kg.
Optional:	CH-TRC4 support with wheels



RIGGING TRC SYSTEM

CH-22, rigging support 2 units TRC

H-32, rigging support 3 units TRC

CH-SR, support with wheels moves 3 units TRC.

* Los Productos de TSA están en evolución constante. Las especificaciones están sujetas a cambios sin previo aviso.
* TSA products are in constant evolution. All specifications are subject without previous notice.

SELF-POWERED SERIES

STAR-2000 NEW!

Digital active system of 2.000 W
Featuring:

- * 1 G-15AM powered with 1.000W
- * 2 AX-126/4 powered with 500 + 500W

Optional:
Customize cover.
Vertical stand supports.
4 wheels set.
2 wiring set CP-1,5



G-15AM NEW!

Digital active bass system featuring:

- * 1.000 W at 8 Ohms for the 15" LF speaker.
- * 500 + 500 W at 4 Ohms for external satellites.



G-18AM NEW!

Digital active bass system featuring:

- * 1.000 W at 8 Ohms for the 18" LF speaker.
- * 500 + 500 W at 4 Ohms for external satellites.



KIT-A NEW! : Digital amplification kit for TSA units. Enquire!!

POWER AMPLIFIERS

TSA DX SERIES New!



	DX-7000	DX-5500	DX-4000	DX-2400
Dual 8Ohms	2 x 1.600 W	2 x 1.200 W	2 x 800 W	2 x 500 W
Dual 4Ohms	2 x 2.300 W	2 x 1.800 W	2 x 1.300 W	2 x 800 W
Dual 2Ohms	2 x 3.500 W	2 x 2.700 W	2 x 1.950 W	2 x 1.200 W
Bridge 8Ohms	4.600 W	3.600 W	2.600 W	1.600 W
Bridge 4Ohms	7.000 W	5.400 W	3.900 W	2.400 W
W x H x D (mm.)	483x89x460	483x89x460	483x89x460	483x89x460
Weight	14Kg.	14Kg.	13Kg.	13Kg.

TSA A SERIES New!



	A-1600	A-800
Dual 8Ohms	2 x 500 W	2 x 250 W
Dual 4Ohms	2 x 800 W	2 x 400 W
Dual 2Ohms	-	-
Bridge 8Ohms	1.600 W	800 W
Bridge 4Ohms	-	-
W x H x D (mm.)	483x128x456	483x128x456
Weight	20Kg.	14Kg.

CAF AUDIO DG SERIES New!



	DG-3400	DG-2000	DG-1200
Dual 8Ohms	2 x 800 W	2 x 450 W	2 x 300 W
Dual 4Ohms	2 x 1.700 W	2 x 800 W	2 x 500 W
Dual 2Ohms	2 x 1.700 W	2 x 1.000 W	2 x 600 W
Bridge 8Ohms	2.400 W	1.600 W	1.000 W
Bridge 4Ohms	3.400 W	2.000 W	1.200 W
W x H x D (mm.)	483x132x460	483x132x460	483x88x407
Weight	16Kg.	15Kg.	11Kg.

Your dealer:

